

PRODUCT SPEC SHEET

MC75A HF



MC75A HF

PREMIUM HF RFID CONTACTLESS MOBILE COMPUTER

THE RIGHT MOBILE SOLUTION FOR TICKETING, IDENTITY AND ACCESS MANAGEMENT

Zebra's MC75A HF takes its place as one of the world's most proven premier mobile computers, with more features and functionality than any other device in its class. The MC75A HF starts with all the features and the same rugged design of the MC75A and adds an integrated HF RFID reader/writer for NFC contact less communication. The MC75A HF is the right contactless mobile solution for: public transportation, parks and event ticketing where closed-loop NFC transactions and payments can be processed; identity and access control with RFID-enabled cards, documents and passports; and asset tracking.

Enable NFC communications and global closed-loop transactions and payments: supports MIFARE™, FeliCa® and Calypso® (ISO 14443-A/B)

Capture virtually any type of business data: read HF RFID tags, scan any bar code, take a picture or a video or capture location data with the very latest in technology with Zebra MAX Data Capture

6 devices in 1: HF RFID reader/writer, 3.5G world mobile phone, mobile computer, bar code scanner and imager, high resolution digital camera and GPS all-in-one device substantially reduces the volume of devices you need to purchase and manage

Cost-effective deployment of HF-based RFID applications: use the MC70/MC75 accessories you already own

Maximum reliability: Zebra's signature rugged specifications for drop, tumble and sealing ensure reliable everyday operation

Maximum security: get government grade certified security support with the most advanced encryption and authentication protocols; high-performance Virtual Private Networks (VPNs) enable compliance with the toughest industry regulations, such as PCI and HIPAA

Maximum power: the most robust processing platform for blazing application performance

True enterprise class motion sensing: dynamic screen rotation and better management of battery power with Zebra MAX Sensor

More GPS coverage in more areas: best-in-class Zebra's MAX GPS delivers a faster and more accurate position, even in areas with a weak signal

The most advanced display technology: PenTile® 'RGBW' technology adds a white pixel to the traditional red, green and blue for richer, crisper text and graphics that are easier to read

Easy and low-cost device management: works with Zebra's leading management software, Mobility Software Platform (MSP)

The most accessories: expands device functionality, protects your investment and minimizes total cost of ownership (TCO)

Service from the Start with Comprehensive Coverage: get all-inclusive end-to-end protection against the unexpected (optional)

For more information, visit www.zebra.com/mc75ahf

SPECIFICATIONS CHART

PHYSICAL CHARACTERISTICS		WIRELESS WAN DATA AND VOICE COMMUNICATIONS	
Dimensions	7 in. L x 3.3 in. W x 1.9 in. D 17.78 cm L x 8.4 cm W x 4.8 cm D	WWAN Radio	GSM: HSDPA
Weight	16.5 oz./467 g (including standard battery)	GPS	Integrated, Autonomous and Assisted-GPS (A-GPS) through SUPL; SiRFstarIII
Display	Super bright 3.5 in. color VGA (640x480) super bright 650+ NITS (luminous)	WIRELESS LAN DATA AND VOICE COMMUNICATIONS	
Touch Panel	Glass analog resistive touch	WLAN Radio	Tri-mode IEEE® 802.11a/b/g with the same performance and security protocols as the MC75A Series
Battery Options	Rechargeable Lithium Ion 3.7V, 3600 mAh or 4800mAh Smart Battery	WIRELESS PAN DATA AND VOICE COMMUNICATIONS	
Expansion Slot	microSD slot with SDHC Support (up to 32GB)	Bluetooth	Class II, v2.1 with Enhanced Data Rate (EDR)
Comm. Interface	Ethernet (via cradle); full-speed USB, host or client	RFID SPECIFICATIONS	
Notification	Vibrator and LED	RFID Radio	13.56 MHz
Keypad Options	Numeric; QWERTY	Read Range	0-1.96 in./0-5 cm
Audio	VoWWAN; VoWLAN	SAM Slots (2)	ISO 7816 compliant for encryption keys
PERFORMANCE CHARACTERISTICS		Supported Card Types	ISO 14443-A: MIFARE™ (Classic, UltraLight, DESFire) ISO 14443-B: Calypso® (GTML, GTML2, CD21, CD Light, CDS3, CD97, CD97BX, TanGO, Celego-Citi, CT2000), ASK CTS256 and CTS512, STMicroelectronics SRI FeliCa® ISO15693: NXP I.Code SLI, TI Tag-it
CPU	PXA320 @ 806 MHz processor	COLOR CAMERA	
Operating System	Microsoft® Windows Embedded Handheld	Camera Module	3.2 megapixel auto focus with flash
Memory	256MB RAM; 1GB Flash	2D IMAGER ENGINE (SE4500-SR)	
Interface	RS-232, USB 1.1		
USER ENVIRONMENT			
Operating Temp.	14° F to 122° F/-10° C to 50° C		
Storage Temp.	-40° F to 158° F/-40° C to 70° C (w/o battery)		
Humidity	95% non-condensing		
Drop Spec	Multiple 6 ft./1.8 m drops, per MIL-STD 810 specifications.		
Tumble Specification	1,000 1.6 ft./0.5 m tumbles (2,000 drops); per applicable IEC tumble		

specifications

Same high performance Imager as the MC75A

Sealing	IP54 per applicable IEC sealing specifications
IrDA	Infra-red port for connection to printers and other devices
Electrostatic Discharge (ESD)	±15kV air discharge, ±8kV direct discharge

ZEBRA INTERACTIVE SENSOR TECHNOLOGY

Motion-sensor: 3-axis accelerometer that enables motion-sensing applications for dynamic screen orientation, power management and free-fall detect

BATTERY PERFORMANCE

Standby Time	150 hours
Talk Time	5 hours

PERIPHERALS AND ACCESSORIES

See www.zebra.com/mc75ahf for a complete list of accessories

SECURITY CERTIFICATION

Certified compliant with FIPS 140-2

REGULATORY

Same regulatory information as the MC75A

For countries outside USA, Canada, European Economic Area, Japan or Australia consult your local Zebra representative

WARRANTY

The MC75A HF is warranted against defects in workmanship and materials for a period of 12 months from date of shipment, provided that the product remains unmodified and is operated under normal and proper conditions.

RECOMMENDED SERVICES

Service from the Start with Comprehensive Coverage



MAX
Rugged



MAX
Secure



MAX
Sensor



MAX
Data Capture



MAX
Locate



MAX
MPA

Part number: SS-MC75A-HF. Printed in USA 04/15.©2015 ZIH Corp. ZEBRA, the Zebra head graphic and Zebra Technologies logo are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All rights reserved. All other trademarks are the property of their respective owners.

ZEBRA TECHNOLOGIES